

- 1: Feng PCH, Delannoy S, Lacher DW, Bosilevac JM, Fach P, Beutin L. Shiga Toxin-Producing Serogroup O91 *Escherichia coli* Strains Isolated from Food and Environmental Samples. *Appl Environ Microbiol*. 2017 Aug 31;83(18):e01231-17. doi: 10.1128/AEM.01231-17. PMID: 28687651; PMCID: PMC5583481.
- 2: Delannoy S, Beutin L, Mariani-Kurkdjian P, Fleiss A, Bonacorsi S, Fach P. The *Escherichia coli* Serogroup O1 and O2 Lipopolysaccharides Are Encoded by Multiple O-antigen Gene Clusters. *Front Cell Infect Microbiol*. 2017 Feb 7;7:30. doi: 10.3389/fcimb.2017.00030. PMID: 28224115; PMCID: PMC5293828.
- 3: Kerangart S, Douëllou T, Delannoy S, Fach P, Beutin L, Sergentet-Thévenot D, Cournoyer B, Loukiadis E. Variable tellurite resistance profiles of clinically-relevant Shiga toxin-producing *Escherichia coli* (STEC) influence their recovery from foodstuffs. *Food Microbiol*. 2016 Oct;59:32-42. doi: 10.1016/j.fm.2016.05.005. Epub 2016 May 10. PMID: 27375242.
- 4: Beutin L, Delannoy S, Fach P. Genetic Analysis and Detection of *fliC* H1 and *fliC* H12 Genes Coding for Serologically Closely Related Flagellar Antigens in Human and Animal Pathogenic *Escherichia coli*. *Front Microbiol*. 2016 Feb 15;7:135. doi: 10.3389/fmicb.2016.00135. PMID: 26913025; PMCID: PMC4753304.
- 5: Delannoy S, Chaves BD, Ison SA, Webb HE, Beutin L, Delaval J, Billet I, Fach P. Revisiting the STEC Testing Approach: Using *espK* and *espV* to Make Enterohemorrhagic *Escherichia coli* (EHEC) Detection More Reliable in Beef. *Front Microbiol*. 2016 Jan 22;7:1. doi: 10.3389/fmicb.2016.00001. PMID: 26834723; PMCID: PMC4722105.
- 6: Ooka T, Ogura Y, Katsura K, Seto K, Kobayashi H, Kawano K, Tokuoka E, Furukawa M, Harada S, Yoshino S, Seto J, Ikeda T, Yamaguchi K, Murase K, Gotoh Y, Imuta N, Nishi J, Gomes TA, Beutin L, Hayashi T. Defining the Genome Features of *Escherichia albertii*, an Emerging Enteropathogen Closely Related to *Escherichia coli*. *Genome Biol Evol*. 2015 Nov 3;7(12):3170-9. doi: 10.1093/gbe/evv211. PMID: 26537224; PMCID: PMC4700944.
- 7: Delannoy S, Beutin L, Fach P. Improved traceability of Shiga-toxin-producing *Escherichia coli* using CRISPRs for detection and typing. *Environ Sci Pollut Res Int*. 2016 May;23(9):8163-74. doi: 10.1007/s11356-015-5446-y. Epub 2015 Oct 9. PMID: 26449676.
- 8: Beutin L, Delannoy S, Fach P. Sequence Variations in the Flagellar Antigen Genes *fliCH25* and *fliCH28* of *Escherichia coli* and Their Use in Identification and Characterization of Enterohemorrhagic *E. coli* (EHEC) O145:H25 and O145:H28. *PLoS One*. 2015 May 22;10(5):e0126749. doi: 10.1371/journal.pone.0126749. PMID: 26000885; PMCID: PMC4441469.
- 9: Beutin L, Delannoy S, Fach P. Genetic Diversity of the *fliC* Genes Encoding the Flagellar Antigen H19 of *Escherichia coli* and Application to the Specific Identification of Enterohemorrhagic *E. coli* O121:H19. *Appl Environ Microbiol*. 2015 Jun 15;81(12):4224-30. doi: 10.1128/AEM.00591-15. Epub 2015 Apr 10. PMID: 25862232; PMCID: PMC4524129.
- 10: Fraczek M, Hryhorowicz M, Gaczarzewicz D, Szumala-Kakol A, Kolanowski TJ, Beutin L, Kurpisz M. Can apoptosis and necrosis coexist in ejaculated human spermatozoa during in vitro semen bacterial infection? *J Assist Reprod Genet*. 2015 May;32(5):771-9. doi: 10.1007/s10815-015-0462-x. Epub 2015 Mar 26. PMID: 25808020; PMCID: PMC4429452.
- 11: Beutin L, Hammerl JA, Reetz J, Strauch E. Shiga toxin 2A-encoding bacteriophages in enteroaggregative *Escherichia coli* O104:H4 strains. *Emerg Infect Dis*. 2014 Sep;20(9):1567-8. doi: 10.3201/eid2009.131373. PMID: 25152038;

12: Fischer J, Rodríguez I, Baumann B, Guiral E, Beutin L, Schroeter A, Kaesbohrer A, Pfeifer Y, Helmuth R, Guerra B. blaCTX-M-
-carrying *Escherichia coli* and *Salmonella* isolates from livestock and food in Germany. *J Antimicrob Chemother.* 2014 Nov;69(11):2951-8. doi: 10.1093/jac/dku270. Epub 2014 Jul 28. PMID: 25074857.

13: Fraczek M, Wiland E, Piasecka M, Boksa M, Gaczarzewicz D, Szumala-Kakol A, Kolanowski T, Beutin L, Kurpisz M. Fertilizing potential of ejaculated human spermatozoa during in vitro semen bacterial infection. *Fertil Steril.* 2014 Sep;102(3):711-719.e1. doi: 10.1016/j.fertnstert.2014.06.002. Epub 2014 Jul 17. PMID: 25044081.

14: Franz E, Delaquis P, Morabito S, Beutin L, Gobius K, Rasko DA, Bono J, French N, Osek J, Lindstedt BA, Muniesa M, Manning S, LeJeune J, Callaway T, Beatson S, Eppinger M, Dallman T, Forbes KJ, Aarts H, Pearl DL, Gannon VP, Laing CR, Strachan NJ. Exploiting the explosion of information associated with whole genome sequencing to tackle Shiga toxin-producing *Escherichia coli* (STEC) in global food production systems. *Int J Food Microbiol.* 2014 Sep 18;187:57-72. doi: 10.1016/j.ijfoodmicro.2014.07.002. Epub 2014 Jul 11. Erratum in: *Int J Food Microbiol.* 2015 Jan 16;193:159. PMID: 25051454.

15: Piasecka M, Fraczek M, Gaczarzewicz D, Gill K, Szumala-Kakol A, Kazienko A, Laszczynska M, Lenart S, Beutin L, Kurpisz M. Novel morphological findings of human sperm removal by leukocytes in in vivo and in vitro conditions: preliminary study. *Am J Reprod Immunol.* 2014 Oct;72(4):348-58. doi: 10.1111/aji.12284. Epub 2014 Jun 26. PMID: 24974907.

16: Miko A, Rivas M, Bentancor A, Delannoy S, Fach P, Beutin L. Emerging types of Shiga toxin-producing *E. coli* (STEC) O178 present in cattle, deer, and humans from Argentina and Germany. *Front Cell Infect Microbiol.* 2014 Jun 17;4:78. doi: 10.3389/fcimb.2014.00078. PMID: 24987616; PMCID: PMC4060028.

17: Beutin L, Fach P. Detection of Shiga Toxin-Producing *Escherichia coli* from Nonhuman Sources and Strain Typing. *Microbiol Spectr.* 2014 Jun;2(3). doi: 10.1128/microbiolspec.EHEC-0001-2013. PMID: 26103970.

18: Feng PC, Delannoy S, Lacher DW, Dos Santos LF, Beutin L, Fach P, Rivas M, Hartland EL, Paton AW, Guth BE. Genetic diversity and virulence potential of shiga toxin-producing *Escherichia coli* O113:H21 strains isolated from clinical, environmental, and food sources. *Appl Environ Microbiol.* 2014 Aug;80(15):4757-63. doi: 10.1128/AEM.01182-14. Epub 2014 May 23. PMID: 24858089; PMCID: PMC4148811.

19: Bückler R, Schulz E, Günzel D, Bojarski C, Lee IF, John LJ, Wiegand S, Janßen T, Wieler LH, Dobrindt U, Beutin L, Ewers C, Fromm M, Siegmund B, Troeger H, Schulzke JD. α -Haemolysin of *Escherichia coli* in IBD: a potentiator of inflammatory activity in the colon. *Gut.* 2014 Dec;63(12):1893-901. doi: 10.1136/gutjnl-2013-306099. Epub 2014 Feb 17. PMID: 24534723.

20: Herzog K, Engeler Dusel J, Hugentobler M, Beutin L, Sägesser G, Stephan R, Hächler H, Nüesch-Inderbinnen M. Diarrheagenic enteroaggregative *Escherichia coli* causing urinary tract infection and bacteremia leading to sepsis. *Infection.* 2014 Apr;42(2):441-4. doi: 10.1007/s15010-013-0569-x. Epub 2013 Dec 10. PMID: 24323785.

21: Nüesch-Inderbinnen MT, Hofer E, Hächler H, Beutin L, Stephan R. Characteristics of enteroaggregative *Escherichia coli* isolated from healthy carriers and from patients with diarrhoea. *J Med Microbiol.* 2013 Dec;62(Pt 12):1828-1834. doi: 10.1099/jmm.0.065177-0. Epub 2013 Sep 5. PMID: 24008499.

- 22: Piazza RM, Delannoy S, Fach P, Saridakis HO, Pedroso MZ, Rocha LB, Gomes TA, Vieira MA, Beutin L, Guth BE. Molecular and phenotypic characterization of *Escherichia coli* O26:H8 among diarrheagenic *E. coli* O26 strains isolated in Brazil. *Appl Environ Microbiol*. 2013 Nov;79(22):6847-54. doi: 10.1128/AEM.01693-13. Epub 2013 Aug 23. PMID: 23974139; PMCID: PMC3811547.
- 23: Beutin L, Hammerl JA, Reetz J, Strauch E. Shiga toxin-producing *Escherichia coli* strains from cattle as a source of the Stx2a bacteriophages present in enteroaggregative *Escherichia coli* O104:H4 strains. *Int J Med Microbiol*. 2013 Dec;303(8):595-602. doi: 10.1016/j.ijmm.2013.08.001. Epub 2013 Aug 16. PMID: 24012149.
- 24: Delannoy S, Beutin L, Fach P. Discrimination of enterohemorrhagic *Escherichia coli* (EHEC) from non-EHEC strains based on detection of various combinations of type III effector genes. *J Clin Microbiol*. 2013 Oct;51(10):3257-62. doi: 10.1128/JCM.01471-13. Epub 2013 Jul 24. PMID: 23884997; PMCID: PMC3811616.
- 25: Miko A, Delannoy S, Fach P, Strockbine NA, Lindstedt BA, Mariani-Kurkdjian P, Reetz J, Beutin L. Genotypes and virulence characteristics of Shiga toxin-producing *Escherichia coli* O104 strains from different origins and sources. *Int J Med Microbiol*. 2013 Dec;303(8):410-21. doi: 10.1016/j.ijmm.2013.05.006. Epub 2013 May 28. PMID: 23777812.
- 26: Delannoy S, Beutin L, Fach P. Towards a molecular definition of enterohemorrhagic *Escherichia coli* (EHEC): detection of genes located on O island 57 as markers to distinguish EHEC from closely related enteropathogenic *E. coli* strains. *J Clin Microbiol*. 2013 Apr;51(4):1083-8. doi: 10.1128/JCM.02864-12. Epub 2013 Jan 16. PMID: 23325824; PMCID: PMC3666763.
- 27: Feng PC, Keys C, Lacher DW, Beutin L, Bentancor A, Heuvelink A, Afset JE, Rumi V, Monday S. Clonal relations of atypical enteropathogenic *Escherichia coli* O157:H16 strains isolated from various sources from several countries. *FEMS Microbiol Lett*. 2012 Dec;337(2):126-31. doi: 10.1111/1574-6968.12017. Epub 2012 Oct 19. PMID: 23020830.
- 28: Delannoy S, Beutin L, Fach P. Use of clustered regularly interspaced short palindromic repeat sequence polymorphisms for specific detection of enterohemorrhagic *Escherichia coli* strains of serotypes O26:H11, O45:H2, O103:H2, O111:H8, O121:H19, O145:H28, and O157:H7 by real-time PCR. *J Clin Microbiol*. 2012 Dec;50(12):4035-40. doi: 10.1128/JCM.02097-12. Epub 2012 Oct 3. PMID: 23035199; PMCID: PMC3503007.
- 29: Delannoy S, Beutin L, Burgos Y, Fach P. Specific detection of enteroaggregative hemorrhagic *Escherichia coli* O104:H4 strains by use of the CRISPR locus as a target for a diagnostic real-time PCR. *J Clin Microbiol*. 2012 Nov;50(11):3485-92. doi: 10.1128/JCM.01656-12. Epub 2012 Aug 15. PMID: 22895033; PMCID: PMC3486251.
- 30: Beutin L, Hammerl JA, Strauch E, Reetz J, Dieckmann R, Kelner-Burgos Y, Martin A, Miko A, Strockbine NA, Lindstedt BA, Horn D, Monse H, Huettel B, Müller I, Stüber K, Reinhardt R. Spread of a distinct Stx2-encoding phage prototype among *Escherichia coli* O104:H4 strains from outbreaks in Germany, Norway, and Georgia. *J Virol*. 2012 Oct;86(19):10444-55. doi: 10.1128/JVI.00986-12. Epub 2012 Jul 18. PMID: 22811533; PMCID: PMC3457275.
- 31: Scheutz F, Teel LD, Beutin L, Piérard D, Buvens G, Karch H, Mellmann A, Caprioli A, Tozzoli R, Morabito S, Strockbine NA, Melton-Celsa AR, Sanchez M, Persson S, O'Brien AD. Multicenter evaluation of a sequence-based protocol for subtyping Shiga toxins and standardizing Stx nomenclature. *J Clin Microbiol*.

2012 Sep;50(9):2951-63. doi: 10.1128/JCM.00860-12. Epub 2012 Jul 3. PMID: 22760050; PMCID: PMC3421821.

32: Wang Q, Perepelov AV, Beutin L, Senchenkova SN, Xu Y, Shashkov AS, Ding P, Knirel YA, Feng L. Structural and genetic characterization of the *Escherichia coli* O180 O antigen and identification of a UDP-GlcNAc 6-dehydrogenase. *Glycobiology*. 2012 Oct;22(10):1321-31. doi: 10.1093/glycob/cws098. Epub 2012 Jun 21. PMID: 22730467.

33: Ooka T, Seto K, Kawano K, Kobayashi H, Etoh Y, Ichihara S, Kaneko A, Isobe J, Yamaguchi K, Horikawa K, Gomes TA, Linden A, Bardiau M, Mainil JG, Beutin L, Ogura Y, Hayashi T. Clinical significance of *Escherichia albertii*. *Emerg Infect Dis*. 2012 Mar;18(3):488-92. doi: 10.3201/eid1803.111401. PMID: 22377117; PMCID: PMC3309589.

34: Eggert M, Stüber E, Heurich M, Fredriksson-Ahomaa M, Burgos Y, Beutin L, Märklbauer E. Detection and characterization of Shiga toxin-producing *Escherichia coli* in faeces and lymphatic tissue of free-ranging deer. *Epidemiol Infect*. 2013 Feb;141(2):251-9. doi: 10.1017/S0950268812000246. Epub 2012 Feb 28. PMID: 22370185.

35: Beutin L, Martin A. Outbreak of Shiga toxin-producing *Escherichia coli* (STEC) O104:H4 infection in Germany causes a paradigm shift with regard to human pathogenicity of STEC strains. *J Food Prot*. 2012 Feb;75(2):408-18. doi: 10.4315/0362-028X.JFP-11-452. PMID: 22289607.

36: Murase K, Ooka T, Iguchi A, Ogura Y, Nakayama K, Asadulghani M, Islam MR, Hiyoshi H, Kodama T, Beutin L, Hayashi T. Haemolysin E- and enterohaemolysin-derived haemolytic activity of O55/O157 strains and other *Escherichia coli* lineages. *Microbiology*. 2012 Mar;158(Pt 3):746-758. doi: 10.1099/mic.0.054775-0. Epub 2011 Dec 22. PMID: 22194351.

37: Geser N, Stephan R, Korczak BM, Beutin L, Hächler H. Molecular identification of extended-spectrum- β -lactamase genes from *Enterobacteriaceae* isolated from healthy human carriers in Switzerland. *Antimicrob Agents Chemother*. 2012 Mar;56(3):1609-12. doi: 10.1128/AAC.05539-11. Epub 2011 Dec 12. PMID: 22155836; PMCID: PMC3294945.

38: Tzschoppe M, Martin A, Beutin L. A rapid procedure for the detection and isolation of enterohaemorrhagic *Escherichia coli* (EHEC) serogroup O26, O103, O111, O118, O121, O145 and O157 strains and the aggregative EHEC O104:H4 strain from ready-to-eat vegetables. *Int J Food Microbiol*. 2012 Jan 3;152(1-2):19-30. doi: 10.1016/j.ijfoodmicro.2011.10.009. Epub 2011 Oct 21. PMID: 22071287.

39: Bugarel M, Martin A, Fach P, Beutin L. Virulence gene profiling of enterohemorrhagic (EHEC) and enteropathogenic (EPEC) *Escherichia coli* strains: a basis for molecular risk assessment of typical and atypical EPEC strains. *BMC Microbiol*. 2011 Jun 21;11:142. doi: 10.1186/1471-2180-11-142. PMID: 21689465; PMCID: PMC3133550.

40: Martin A, Beutin L. Characteristics of Shiga toxin-producing *Escherichia coli* from meat and milk products of different origins and association with food producing animals as main contamination sources. *Int J Food Microbiol*. 2011 Mar 15;146(1):99-104. doi: 10.1016/j.ijfoodmicro.2011.01.041. Epub 2011 Mar 2. PMID: 21371769.

41: Bugarel M, Beutin L, Scheutz F, Loukiadis E, Fach P. Identification of genetic markers for differentiation of Shiga toxin-producing, enteropathogenic, and avirulent strains of *Escherichia coli* O26. *Appl Environ Microbiol*. 2011 Apr;77(7):2275-81. doi: 10.1128/AEM.02832-10. Epub 2011 Feb 11. PMID: 21317253; PMCID: PMC3067419.

- 42: Käppeli U, Hächler H, Giezendanner N, Beutin L, Stephan R. Human infections with non-O157 Shiga toxin-producing *Escherichia coli*, Switzerland, 2000-2009. *Emerg Infect Dis*. 2011 Feb;17(2):180-5. doi: 10.3201/eid1702.100909. PMID: 21291586; PMCID: PMC3204765.
- 43: Wieczorek K, Beutin L, Osek J. Rare VTEC serotypes of potential zoonotic risk isolated from bovine hides and carcasses. *Vet Rec*. 2011 Jan 22;168(3):80. doi: 10.1136/vr.c5263. Epub 2011 Jan 4. PMID: 21257589.
- 44: Burgos Y, Beutin L. Common origin of plasmid encoded alpha-hemolysin genes in *Escherichia coli*. *BMC Microbiol*. 2010 Jul 19;10:193. doi: 10.1186/1471-2180-10-193. PMID: 20637130; PMCID: PMC2918590.
- 45: Bugarel M, Beutin L, Martin A, Gill A, Fach P. Micro-array for the identification of Shiga toxin-producing *Escherichia coli* (STEC) seropathotypes associated with Hemorrhagic Colitis and Hemolytic Uremic Syndrome in humans. *Int J Food Microbiol*. 2010 Sep 1;142(3):318-29. doi: 10.1016/j.ijfoodmicro.2010.07.010. Epub 2010 Jul 14. PMID: 20675003.
- 46: Vaishnavi C, Kaur S, Beutin L, Krueger U. Phenotypic and molecular characterization of clinically isolated *Escherichia coli*. *Indian J Pathol Microbiol*. 2010 Jul-Sep;53(3):503-8. doi: 10.4103/0377-4929.68298. PMID: 20699512.
- 47: Rump LV, Beutin L, Fischer M, Feng PC. Characterization of a *gne::IS629* O rough:H7 *Escherichia coli* strain from a hemorrhagic colitis patient. *Appl Environ Microbiol*. 2010 Aug;76(15):5290-1. doi: 10.1128/AEM.00740-10. Epub 2010 Jun 11. PMID: 20543034; PMCID: PMC2916453.
- 48: Wang Q, Wang S, Beutin L, Cao B, Feng L, Wang L. Development of a DNA microarray for detection and serotyping of enterotoxigenic *Escherichia coli*. *J Clin Microbiol*. 2010 Jun;48(6):2066-74. doi: 10.1128/JCM.02014-09. Epub 2010 Mar 29. PMID: 20351209; PMCID: PMC2884529.
- 49: Zhou Z, Li X, Liu B, Beutin L, Xu J, Ren Y, Feng L, Lan R, Reeves PR, Wang L. Derivation of *Escherichia coli* O157:H7 from its O55:H7 precursor. *PLoS One*. 2010 Jan 14;5(1):e8700. doi: 10.1371/journal.pone.0008700. PMID: 20090843; PMCID: PMC2806823.
- 50: Zweifel C, Giezendanner N, Corti S, Krause G, Beutin L, Danuser J, Stephan R. Characteristics of shiga toxin-producing *Escherichia coli* isolated from Swiss raw milk cheese within a 3-year monitoring program. *J Food Prot*. 2010 Jan;73(1):88-91. doi: 10.4315/0362-028x-73.1.88. PMID: 20051209.
- 51: Miko A, Lindstedt BA, Brandal LT, Løbersli I, Beutin L. Evaluation of multiple-locus variable number of tandem-repeats analysis (MLVA) as a method for identification of clonal groups among enteropathogenic, enterohaemorrhagic and avirulent *Escherichia coli* O26 strains. *FEMS Microbiol Lett*. 2010 Feb;303(2):137-46. doi: 10.1111/j.1574-6968.2009.01874.x. Epub 2009 Dec 3. PMID: 20030723.
- 52: Liu B, Wu F, Li D, Beutin L, Chen M, Cao B, Wang L. Development of a serogroup-specific DNA microarray for identification of *Escherichia coli* strains associated with bovine septicemia and diarrhea. *Vet Microbiol*. 2010 May 19;142(3-4):373-8. doi: 10.1016/j.vetmic.2009.10.019. Epub 2009 Oct 30. PMID: 19932572.
- 53: Bugarel M, Beutin L, Fach P. Low-density macroarray targeting non-locus of enterocyte effacement effectors (nle genes) and major virulence factors of Shiga toxin-producing *Escherichia coli* (STEC): a new approach for molecular risk

assessment of STEC isolates. *Appl Environ Microbiol.* 2010 Jan;76(1):203-11. doi: 10.1128/AEM.01921-09. Epub 2009 Oct 30. PMID: 19880649; PMCID: PMC2798666.

54: Döpfer D, Sekse C, Beutin L, Solheim H, van der Wal FJ, de Boer A, Slette-meås JS, Wasteson Y, Urdahl AM. Pathogenic potential and horizontal gene transfer in ovine gastrointestinal *Escherichia coli*. *J Appl Microbiol.* 2010 May;108(5):1552-62. doi: 10.1111/j.1365-2672.2009.04575.x. Epub 2009 Oct 7. PMID: 19863689.

55: Miko A, Pries K, Haby S, Steege K, Albrecht N, Krause G, Beutin L. Assessment of Shiga toxin-producing *Escherichia coli* isolates from wildlife meat as potential pathogens for humans. *Appl Environ Microbiol.* 2009 Oct;75(20):6462-70. doi: 10.1128/AEM.00904-09. Epub 2009 Aug 21. PMID: 19700552; PMCID: PMC2765146.

56: Fremaux B, Prigent-Combaret C, Beutin L, Gleizal A, Trevisan D, Quetin P, Jocteur-Monrozier L, Rozand C. Survival and spread of Shiga toxin-producing *Escherichia coli* in alpine pasture grasslands. *J Appl Microbiol.* 2010 Apr;108(4):1332-43. doi: 10.1111/j.1365-2672.2009.04527.x. Epub 2009 Aug 19. PMID: 19778349.

57: Tóth I, Schmidt H, Kardos G, Lancz Z, Creuzburg K, Damjanova I, Pászti J, Beutin L, Nagy B. Virulence genes and molecular typing of different groups of *Escherichia coli* O157 strains in cattle. *Appl Environ Microbiol.* 2009 Oct;75(19):6282-91. doi: 10.1128/AEM.00873-09. Epub 2009 Aug 14. PMID: 19684174; PMCID: PMC2753057.

58: Morato EP, Leomil L, Beutin L, Krause G, Moura RA, Pestana de Castro AF. Domestic cats constitute a natural reservoir of human enteropathogenic *Escherichia coli* types. *Zoonoses Public Health.* 2009 Jun;56(5):229-37. doi: 10.1111/j.1863-2378.2008.01190.x. PMID: 19068073.

59: Ellerbroek L, Alter T, Johne R, Nöckler K, Beutin L, Helmuth R. Aufgaben der veterinärmedizinischen Referenzlaboratorien im Bereich der lebensmittelbedingten Zoonosen [Tasks and duties of veterinary reference laboratories for food borne zoonoses]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 2009 Feb;52(2):208-13. German. doi: 10.1007/s00103-009-0765-0. PMID: 19271255.

60: Burgos YK, Pries K, Pestana de Castro AF, Beutin L. Characterization of the alpha-haemolysin determinant from the human enteropathogenic *Escherichia coli* O26 plasmid pEO5. *FEMS Microbiol Lett.* 2009 Mar;292(2):194-202. doi: 10.1111/j.1574-6968.2009.01496.x. Epub 2009 Jan 24. PMID: 19175679.

61: Beutin L, Jahn S, Fach P. Evaluation of the 'GeneDisc' real-time PCR system for detection of enterohaemorrhagic *Escherichia coli* (EHEC) O26, O103, O111, O145 and O157 strains according to their virulence markers and their O- and H-antigen-associated genes. *J Appl Microbiol.* 2009 Apr;106(4):1122-32. doi: 10.1111/j.1365-2672.2008.04076.x. Epub 2009 Jan 15. PMID: 19191965.

62: Werber D, Beutin L, Pichner R, Stark K, Fruth A. Shiga toxin-producing *Escherichia coli* serogroups in food and patients, Germany. *Emerg Infect Dis.* 2008 Nov;14(11):1803-6. doi: 10.3201/eid1411.080361. PMID: 18976578; PMCID: PMC2630736.

63: Barros SF, Abe CM, Rocha SP, Ruiz RM, Beutin L, Trabulsi LR, Elias WP. *Escherichia coli* O125ac:H6 encompasses atypical enteropathogenic *E. coli* strains that display the aggregative adherence pattern. *J Clin Microbiol.* 2008 Dec;46(12):4052-5. doi: 10.1128/JCM.01252-08. Epub 2008 Oct 15. PMID: 18923012; PMCID: PMC2593257.

64: Mendes-Ledesma MR, Rocha LB, Bueris V, Krause G, Beutin L, Franzolin MR,

Trabulsi LR, Elias WP, Piazza RM. Production and characterization of rabbit polyclonal sera against Shiga toxins Stx1 and Stx2 for detection of Shiga toxin-producing *Escherichia coli*. *Microbiol Immunol*. 2008 Oct;52(10):484-91. doi: 10.1111/j.1348-0421.2008.00068.x. PMID: 18822082.

65: Strauch E, Hammerl JA, Konietzny A, Schneiker-Bekel S, Arnold W, Goesmann A, Pühler A, Beutin L. Bacteriophage 2851 is a prototype phage for dissemination of the Shiga toxin variant gene 2c in *Escherichia coli* O157:H7. *Infect Immun*. 2008 Dec;76(12):5466-77. doi: 10.1128/IAI.00875-08. Epub 2008 Sep 29. PMID: 18824528; PMCID: PMC2583581.

66: Fröhlicher E, Krause G, Zweifel C, Beutin L, Stephan R. Characterization of attaching and effacing *Escherichia coli* (AEEC) isolated from pigs and sheep. *BMC Microbiol*. 2008 Sep 11;8:144. doi: 10.1186/1471-2180-8-144. PMID: 18786265; PMCID: PMC2571105.

67: Stephan R, Schumacher S, Corti S, Krause G, Danuser J, Beutin L. Prevalence and characteristics of Shiga toxin-producing *Escherichia coli* in Swiss raw milk cheeses collected at producer level. *J Dairy Sci*. 2008 Jul;91(7):2561-5. doi: 10.3168/jds.2008-1055. PMID: 18565913.

68: Beutin L, Krüger U, Krause G, Miko A, Martin A, Strauch E. Evaluation of major types of Shiga toxin 2E-producing *Escherichia coli* bacteria present in food, pigs, and the environment as potential pathogens for humans. *Appl Environ Microbiol*. 2008 Aug;74(15):4806-16. doi: 10.1128/AEM.00623-08. Epub 2008 May 30. PMID: 18515483; PMCID: PMC2519352.

69: Kohler R, Krause G, Beutin L, Stephan R, Zweifel C. Shedding of food-borne pathogens and microbiological carcass contamination in rabbits at slaughter. *Vet Microbiol*. 2008 Nov 25;132(1-2):149-57. doi: 10.1016/j.vetmic.2008.04.020. Epub 2008 Apr 24. PMID: 18514438.

70: Tarr CL, Nelson AM, Beutin L, Olsen KE, Whittam TS. Molecular characterization reveals similar virulence gene content in unrelated clonal groups of *Escherichia coli* of serogroup O174 (OX3). *J Bacteriol*. 2008 Feb;190(4):1344-9. doi: 10.1128/JB.01317-07. Epub 2007 Dec 14. PMID: 18083801; PMCID: PMC2238209.

71: Kozub-Witkowski E, Krause G, Frankel G, Kramer D, Appel B, Beutin L. Serotypes and virutypes of enteropathogenic and enterohaemorrhagic *Escherichia coli* strains from stool samples of children with diarrhoea in Germany. *J Appl Microbiol*. 2008 Feb;104(2):403-10. doi: 10.1111/j.1365-2672.2007.03545.x. Epub 2007 Sep 21. PMID: 17887989.

72: Troeger H, Richter JF, Beutin L, Günzel D, Dobrindt U, Epple HJ, Gitter AH, Zeitz M, Fromm M, Schulzke JD. *Escherichia coli* alpha-haemolysin induces focal leaks in colonic epithelium: a novel mechanism of bacterial translocation. *Cell Microbiol*. 2007 Oct;9(10):2530-40. doi: 10.1111/j.1462-5822.2007.00978.x. Epub 2007 Jun 24. PMID: 17587334.

73: Beutin L, Miko A, Krause G, Pries K, Haby S, Steege K, Albrecht N. Identification of human-pathogenic strains of Shiga toxin-producing *Escherichia coli* from food by a combination of serotyping and molecular typing of Shiga toxin genes. *Appl Environ Microbiol*. 2007 Aug;73(15):4769-75. doi: 10.1128/AEM.00873-07. Epub 2007 Jun 8. PMID: 17557838; PMCID: PMC1951031.

74: Whale AD, Hernandez RT, Ooka T, Beutin L, Schüller S, Garmendia J, Crowther L, Vieira MAM, Ogura Y, Krause G, Phillips AD, Gomes TAT, Hayashi T, Frankel G. TccP2-mediated subversion of actin dynamics by EPEC 2 - a distinct evolutionary lineage of enteropathogenic *Escherichia coli*. *Microbiology*. 2007 Jun;153(Pt 6):1743-1755. doi: 10.1099/mic.0.2006/004325-0. PMID: 17526832; PMCID:

75: Han W, Liu B, Cao B, Beutin L, Krüger U, Liu H, Li Y, Liu Y, Feng L, Wang L. DNA microarray-based identification of serogroups and virulence gene patterns of *Escherichia coli* isolates associated with porcine postweaning diarrhea and edema disease. *Appl Environ Microbiol*. 2007 Jun;73(12):4082-8. doi: 10.1128/AEM.01820-06. Epub 2007 Apr 20. PMID: 17449692; PMCID: PMC1932722.

76: Ooka T, Vieira MA, Ogura Y, Beutin L, La Ragione R, van Diemen PM, Stevens MP, Aktan I, Cawthraw S, Best A, Hernandez RT, Krause G, Gomes TA, Hayashi T, Frankel G. Characterization of tccP2 carried by atypical enteropathogenic *Escherichia coli*. *FEMS Microbiol Lett*. 2007 Jun;271(1):126-35. doi: 10.1111/j.1574-6968.2007.00707.x. Epub 2007 Apr 17. PMID: 17403050.

77: Beutin L, Steinrück H, Krause G, Steege K, Haby S, Hultsch G, Appel B. Comparative evaluation of the Ridascreen Verotoxin enzyme immunoassay for detection of Shiga-toxin producing strains of *Escherichia coli* (STEC) from food and other sources. *J Appl Microbiol*. 2007 Mar;102(3):630-9. doi: 10.1111/j.1365-2672.2006.03139.x. PMID: 17309611.

78: Beutin L, Wang Q, Naumann D, Han W, Krause G, Leomil L, Wang L, Feng L. Relationship between O-antigen subtypes, bacterial surface structures and O-antigen gene clusters in *Escherichia coli* O123 strains carrying genes for Shiga toxins and intimin. *J Med Microbiol*. 2007 Feb;56(Pt 2):177-184. doi: 10.1099/jmm.0.46775-0. PMID: 17244797.

79: Beutin L, Strauch E. Identification of sequence diversity in the *Escherichia coli* fliC genes encoding flagellar types H8 and H40 and its use in typing of Shiga toxin-producing *E. coli* O8, O22, O111, O174, and O179 strains. *J Clin Microbiol*. 2007 Feb;45(2):333-9. doi: 10.1128/JCM.01627-06. Epub 2006 Nov 29. PMID: 17135431; PMCID: PMC1829044.

80: Ogura Y, Ooka T, Whale A, Garmendia J, Beutin L, Tennant S, Krause G, Morabito S, Chinen I, Tobe T, Abe H, Tozzoli R, Caprioli A, Rivas M, Robins-Browne R, Hayashi T, Frankel G. TccP2 of O157:H7 and non-O157 enterohemorrhagic *Escherichia coli* (EHEC): challenging the dogma of EHEC-induced actin polymerization. *Infect Immun*. 2007 Feb;75(2):604-12. doi: 10.1128/IAI.01491-06. Epub 2006 Nov 13. PMID: 17101643; PMCID: PMC1828498.

81: Beutin L. Emerging enterohaemorrhagic *Escherichia coli*, causes and effects of the rise of a human pathogen. *J Vet Med B Infect Dis Vet Public Health*. 2006 Sep;53(7):299-305. doi: 10.1111/j.1439-0450.2006.00968.x. PMID: 16930272.

82: Zweifel C, Schumacher S, Beutin L, Blanco J, Stephan R. Virulence profiles of Shiga toxin 2e-producing *Escherichia coli* isolated from healthy pig at slaughter. *Vet Microbiol*. 2006 Oct 31;117(2-4):328-32. doi: 10.1016/j.vetmic.2006.06.017. Epub 2006 Jul 26. PMID: 16872761.

83: Fremaux B, Raynaud S, Beutin L, Rozand CV. Dissemination and persistence of Shiga toxin-producing *Escherichia coli* (STEC) strains on French dairy farms. *Vet Microbiol*. 2006 Oct 31;117(2-4):180-91. doi: 10.1016/j.vetmic.2006.04.030. Epub 2006 May 19. PMID: 16837144.

84: Loukiadis E, Kérourédan M, Beutin L, Oswald E, Brugère H. Characterization of Shiga toxin gene (stx)-positive and intimin gene (eae)-positive *Escherichia coli* isolates from wastewater of slaughterhouses in France. *Appl Environ Microbiol*. 2006 May;72(5):3245-51. doi: 10.1128/AEM.72.5.3245-3251.2006. PMID: 16672463; PMCID: PMC1472399.

85: Guerra B, Junker E, Schroeter A, Helmuth R, Guth BE, Beutin L. Phenotypic and genotypic characterization of antimicrobial resistance in *Escherichia coli*

O111 isolates. *J Antimicrob Chemother.* 2006 Jun;57(6):1210-4. doi: 10.1093/jac/dkl127. Epub 2006 Apr 7. PMID: 16603644.

86: Uber AP, Trabulsi LR, Irino K, Beutin L, Ghilardi AC, Gomes TA, Liberatore AM, de Castro AF, Elias WP. Enteroaggregative *Escherichia coli* from humans and animals differ in major phenotypical traits and virulence genes. *FEMS Microbiol Lett.* 2006 Mar;256(2):251-7. doi: 10.1111/j.1574-6968.2006.00124.x. PMID: 16499614.

87: Strauch E, Beutin L. Imprecise excision of insertion element IS5 from the *fliC* gene contributes to flagellar diversity in *Escherichia coli*. *FEMS Microbiol Lett.* 2006 Mar;256(2):195-202. doi: 10.1111/j.1574-6968.2006.00100.x. PMID: 16499606.

88: Kaufmann M, Zweifel C, Blanco M, Blanco JE, Blanco J, Beutin L, Stephan R. *Escherichia coli* O157 and non-O157 Shiga toxin-producing *Escherichia coli* in fecal samples of finished pigs at slaughter in Switzerland. *J Food Prot.* 2006 Feb;69(2):260-6. doi: 10.4315/0362-028x-69.2.260. PMID: 16496563.

89: Gourmelon M, Montet MP, Lozach S, Le Mennec C, Pommepuy M, Beutin L, Vernozy-Rozand C. First isolation of Shiga toxin 1d producing *Escherichia coli* variant strains in shellfish from coastal areas in France. *J Appl Microbiol.* 2006;100(1):85-97. doi: 10.1111/j.1365-2672.2005.02753.x. PMID: 16405688.

90: Malik A, Tóth I, Beutin L, Schmidt H, Taminiau B, Dow MA, Morabito S, Oswald E, Mainil J, Nagy B. Serotypes and intimin types of intestinal and faecal strains of *eae+* *Escherichia coli* from weaned pigs. *Vet Microbiol.* 2006 Apr 16;114(1-2):82-93. doi: 10.1016/j.vetmic.2005.11.044. Epub 2005 Dec 2. PMID: 16326041.

91: Wang L, Liu B, Kong Q, Steinrück H, Krause G, Beutin L, Feng L. Molecular markers for detection of pathogenic *Escherichia coli* strains belonging to serogroups O 138 and O 139. *Vet Microbiol.* 2005 Dec 20;111(3-4):181-90. doi: 10.1016/j.vetmic.2005.10.006. Epub 2005 Nov 8. PMID: 16280204.

92: Beutin L, Kong Q, Feng L, Wang Q, Krause G, Leomil L, Jin Q, Wang L. Development of PCR assays targeting the genes involved in synthesis and assembly of the new *Escherichia coli* O 174 and O 177 O antigens. *J Clin Microbiol.* 2005 Oct;43(10):5143-9. doi: 10.1128/JCM.43.10.5143-5149.2005. PMID: 16207976; PMCID: PMC1248525.

93: Leomil L, Pestana de Castro AF, Krause G, Schmidt H, Beutin L. Characterization of two major groups of diarrheagenic *Escherichia coli* O26 strains which are globally spread in human patients and domestic animals of different species. *FEMS Microbiol Lett.* 2005 Aug 15;249(2):335-42. doi: 10.1016/j.femsle.2005.06.030. PMID: 16046083.

94: Franzolin MR, Alves RC, Keller R, Gomes TA, Beutin L, Barreto ML, Milroy C, Strina A, Ribeiro H, Trabulsi LR. Prevalence of diarrheagenic *Escherichia coli* in children with diarrhea in Salvador, Bahia, Brazil. *Mem Inst Oswaldo Cruz.* 2005 Jul;100(4):359-63. doi: 10.1590/s0074-02762005000400004. Epub 2005 Aug 17. PMID: 16113883.

95: Beutin L, Kaulfuss S, Herold S, Oswald E, Schmidt H. Genetic analysis of enteropathogenic and enterohemorrhagic *Escherichia coli* serogroup O103 strains by molecular typing of virulence and housekeeping genes and pulsed-field gel electrophoresis. *J Clin Microbiol.* 2005 Apr;43(4):1552-63. doi: 10.1128/JCM.43.4.1552-1563.2005. Erratum in: *J Clin Microbiol.* 2006 Feb;44(2):679. PMID: 15814965; PMCID: PMC1081317.

96: Krause G, Zimmermann S, Beutin L. Investigation of domestic animals and pets

as a reservoir for intimin- (eae) gene positive *Escherichia coli* types. *Vet Microbiol.* 2005 Mar 20;106(1-2):87-95. doi: 10.1016/j.vetmic.2004.11.012. PMID: 15737477.

97: Ullmann D, Krause G, Knabner D, Weber H, Beutin L. Isolation and characterization of potentially human pathogenic, cytotoxin-producing aeromonas strains from retailed seafood in Berlin, Germany. *J Vet Med B Infect Dis Vet Public Health.* 2005 Mar;52(2):82-7. doi: 10.1111/j.1439-0450.2005.00820.x. PMID: 15752267.

98: Beutin L, Tao J, Feng L, Krause G, Zimmermann S, Gleier K, Xia Q, Wang L. Sequence analysis of the *Escherichia coli* O15 antigen gene cluster and development of a PCR assay for rapid detection of intestinal and extraintestinal pathogenic *E. coli* O15 strains. *J Clin Microbiol.* 2005 Feb;43(2):703-10. doi: 10.1128/JCM.43.2.703-710.2005. PMID: 15695667; PMCID: PMC548065.

99: Beutin L, Strauch E, Zimmermann S, Kaulfuss S, Schaudinn C, Männel A, Gelderblom HR. Genetical and functional investigation of fliC genes encoding flagellar serotype H4 in wildtype strains of *Escherichia coli* and in a laboratory *E. coli* K-12 strain expressing flagellar antigen type H48. *BMC Microbiol.* 2005 Jan 24;5:4. doi: 10.1186/1471-2180-5-4. PMID: 15663798; PMCID: PMC548302.

100: Vernozy-Rozand C, Montet MP, Berardin M, Bavai C, Beutin L. Isolation and characterization of Shiga toxin-producing *Escherichia coli* strains from raw milk cheeses in France. *Lett Appl Microbiol.* 2005;41(3):235-41. doi: 10.1111/j.1472-765X.2005.01756.x. PMID: 16108913.

101: Strauch E, Schaudinn C, Beutin L. First-time isolation and characterization of a bacteriophage encoding the Shiga toxin 2c variant, which is globally spread in strains of *Escherichia coli* O157. *Infect Immun.* 2004 Dec;72(12):7030-9. doi: 10.1128/IAI.72.12.7030-7039.2004. PMID: 15557626; PMCID: PMC529153.

102: Linde HJ, Kobuch R, Jayasinghe S, Reischl U, Lehn N, Kaulfuss S, Beutin L. *Vibrio metschnikovii*, a rare cause of wound infection. *J Clin Microbiol.* 2004 Oct;42(10):4909-11. doi: 10.1128/JCM.42.10.4909-4911.2004. PMID: 15472380; PMCID: PMC522296.

103: Feng L, Wang W, Tao J, Guo H, Krause G, Beutin L, Wang L. Identification of *Escherichia coli* O114 O-antigen gene cluster and development of an O114 serogroup-specific PCR assay. *J Clin Microbiol.* 2004 Aug;42(8):3799-804. doi: 10.1128/JCM.42.8.3799-3804.2004. PMID: 15297533; PMCID: PMC497616.

104: Vernozy-Rozand C, Montet MP, Bertin Y, Trably F, Girardeau JP, Martin C, Livrelli V, Beutin L. Serotyping, stx2 subtyping, and characterization of the locus of enterocyte effacement island of shiga toxin-producing *Escherichia coli* and *E. coli* O157:H7 strains isolated from the environment in France. *Appl Environ Microbiol.* 2004 Apr;70(4):2556-9. doi: 10.1128/aem.70.4.2556-2559.2004. PMID: 15066860; PMCID: PMC383133.

105: Beutin L, Krause G, Zimmermann S, Kaulfuss S, Gleier K. Characterization of Shiga toxin-producing *Escherichia coli* strains isolated from human patients in Germany over a 3-year period. *J Clin Microbiol.* 2004 Mar;42(3):1099-108. doi: 10.1128/jcm.42.3.1099-1108.2004. PMID: 15004060; PMCID: PMC356890.

106: Tóth I, Hérault F, Beutin L, Oswald E. Production of cytolethal distending toxins by pathogenic *Escherichia coli* strains isolated from human and animal sources: establishment of the existence of a new cdt variant (Type IV). *J Clin Microbiol.* 2003 Sep;41(9):4285-91. doi: 10.1128/jcm.41.9.4285-4291.2003. PMID: 12958258; PMCID: PMC193864.

- 107: de Castro AF, Guerra B, Leomil L, Aidar-Ugrinovitch L, Beutin L. Multidrug-resistant Shiga toxin-producing *Escherichia coli* O118:H16 Latin America. *Emerg Infect Dis*. 2003 Aug;9(8):1027-8. doi: 10.3201/eid0908.030062. PMID: 12971378; PMCID: PMC3020606.
- 108: Beutin L, Marchés O, Bettelheim KA, Gleier K, Zimmermann S, Schmidt H, Oswald E. HEp-2 cell adherence, actin aggregation, and intimin types of attaching and effacing *Escherichia coli* strains isolated from healthy infants in Germany and Australia. *Infect Immun*. 2003 Jul;71(7):3995-4002. doi: 10.1128/iai.71.7.3995-4002.2003. PMID: 12819087; PMCID: PMC162008.
- 109: Bettelheim KA, Beutin L. Rapid laboratory identification and characterization of verocytotoxigenic (Shiga toxin producing) *Escherichia coli* (VTEC/STEC). *J Appl Microbiol*. 2003;95(2):205-17. doi: 10.1046/j.1365-2672.2003.02031.x. PMID: 12859750.
- 110: Urdahl AM, Beutin L, Skjerve E, Zimmermann S, Wasteson Y. Animal host associated differences in Shiga toxin-producing *Escherichia coli* isolated from sheep and cattle on the same farm. *J Appl Microbiol*. 2003;95(1):92-101. doi: 10.1046/j.1365-2672.2003.01964.x. PMID: 12807458.
- 111: Bettelheim KA, Beutin L, Gleier K, Pearce JL, Luke RK, Zimmermann S. Serotypes of *Escherichia coli* isolated from healthy infants in Berlin, Germany and Melbourne, Australia. *Comp Immunol Microbiol Infect Dis*. 2003 Jan;26(1):55-63. doi: 10.1016/s0147-9571(02)00015-2. PMID: 12602687.
- 112: Beutin L, Kaulfuss S, Cheasty T, Brandenburg B, Zimmermann S, Gleier K, Willshaw GA, Smith HR. Characteristics and association with disease of two major subclones of Shiga toxin (Verocytotoxin)-producing strains of *Escherichia coli* (STEC) O157 that are present among isolates from patients in Germany. *Diagn Microbiol Infect Dis*. 2002 Dec;44(4):337-46. doi: 10.1016/s0732-8893(02)00474-1. PMID: 12543538.
- 113: Zhang WL, Köhler B, Oswald E, Beutin L, Karch H, Morabito S, Caprioli A, Suerbaum S, Schmidt H. Genetic diversity of intimin genes of attaching and effacing *Escherichia coli* strains. *J Clin Microbiol*. 2002 Dec;40(12):4486-92. doi: 10.1128/jcm.40.12.4486-4492.2002. PMID: 12454140; PMCID: PMC154638.
- 114: Maidhof H, Guerra B, Abbas S, Elsheikha HM, Whittam TS, Beutin L. A multiresistant clone of Shiga toxin-producing *Escherichia coli* O118:[H16] is spread in cattle and humans over different European countries. *Appl Environ Microbiol*. 2002 Dec;68(12):5834-42. doi: 10.1128/aem.68.12.5834-5842.2002. PMID: 12450802; PMCID: PMC134392.
- 115: Ellerbrok H, Nattermann H, Ozel M, Beutin L, Appel B, Pauli G. Rapid and sensitive identification of pathogenic and apathogenic *Bacillus anthracis* by real-time PCR. *FEMS Microbiol Lett*. 2002 Aug 27;214(1):51-9. doi: 10.1111/j.1574-6968.2002.tb11324.x. PMID: 12204372.
- 116: Oscarsson J, Westermarck M, Beutin L, Uhlin BE. The bacteriophage-associated ehly1 and ehly2 determinants from *Escherichia coli* O26:H- strains do not encode enterohemolysins per se but cause release of the ClyA cytolysin. *Int J Med Microbiol*. 2002 Mar;291(8):625-31. doi: 10.1078/1438-4221-00176. PMID: 12008916.
- 117: Urdahl AM, Beutin L, Skjerve E, Wasteson Y. Serotypes and virulence factors of Shiga toxin-producing *Escherichia coli* isolated from healthy Norwegian sheep. *J Appl Microbiol*. 2002;93(6):1026-33. doi: 10.1046/j.1365-2672.2002.01787.x. PMID: 12452959.
- 118: Beutin L, Zimmermann S, Gleier K. Evaluation of the VTEC-Screen "Seiken" test for detection of different types of Shiga toxin (verotoxin)-producing

Escherichia coli (STEC) in human stool samples. *Diagn Microbiol Infect Dis*. 2002 Jan;42(1):1-8. doi: 10.1016/s0732-8893(01)00325-x. PMID: 11821164.

119: Strauch E, Lurz R, Beutin L. Characterization of a Shiga toxin-encoding temperate bacteriophage of *Shigella sonnei*. *Infect Immun*. 2001 Dec;69(12):7588-95. doi: 10.1128/IAI.69.12.7588-7595.2001. PMID: 11705937; PMCID: PMC98851.

120: Koch C, Hertwig S, Lurz R, Appel B, Beutin L. Isolation of a lysogenic bacteriophage carrying the *stx1*(OX3) gene, which is closely associated with Shiga toxin-producing *Escherichia coli* strains from sheep and humans. *J Clin Microbiol*. 2001 Nov;39(11):3992-8. doi: 10.1128/JCM.39.11.3992-3998.2001. PMID: 11682520; PMCID: PMC88477.

121: Kaddu-Mulindw DH, Aisu T, Gleier K, Zimmermann S, Beutin L. Occurrence of Shiga toxin-producing *Escherichia coli* in fecal samples from children with diarrhea and from healthy zebu cattle in Uganda. *Int J Food Microbiol*. 2001 May 21;66(1-2):95-101. doi: 10.1016/s0168-1605(00)00493-1. PMID: 11407553.

122: Coimbra RS, Grimont F, Lenormand P, Burguière P, Beutin L, Grimont PA. Identification of *Escherichia coli* O-serogroups by restriction of the amplified O-antigen gene cluster (*rfb*-RFLP). *Res Microbiol*. 2000 Oct;151(8):639-54. doi: 10.1016/s0923-2508(00)00134-0. PMID: 11081579.

123: Beutin L, Bülte M, Weber A, Zimmermann S, Gleier K. Investigation of human infections with verocytotoxin-producing strains of *Escherichia coli* (VTEC) belonging to serogroup O118 with evidence for zoonotic transmission. *Epidemiol Infect*. 2000 Aug;125(1):47-54. doi: 10.1017/s0950268899004094. PMID: 11057958; PMCID: PMC2869568.

124: Wieler LH, Busse B, Steinrück H, Beutin L, Weber A, Karch H, Baljer G. Enterohemorrhagic *Escherichia coli* (EHEC) strains of serogroup O118 display three distinctive clonal groups of EHEC pathogens. *J Clin Microbiol*. 2000 Jun;38(6):2162-9. PMID: 10834970; PMCID: PMC86754.

125: Filler G, Ehrich JH, Strauch E, Beutin L. Acute renal failure in an infant associated with cytotoxic *Aeromonas sobria* isolated from patient's stool and from aquarium water as suspected source of infection. *J Clin Microbiol*. 2000 Jan;38(1):469-70. PMID: 10681210; PMCID: PMC88758.

126: Allerberger F, Beutin L, Cheasty T, Gonedera G, Karch H. Sporadic infection caused by enterohemorrhagic *Escherichia coli* O157. *Euro Surveill*. 1999 Oct;4(10):107-108. doi: 10.2807/esm.04.10.00053-en. PMID: 12631888.

127: Stümpfle P, Broll H, Beutin L. Absence of DNA sequence homology with genes of the *Escherichia coli* *hemB* locus in Shiga-toxin producing *E. coli* (STEC) O157 strains. *FEMS Microbiol Lett*. 1999 May 1;174(1):97-103. doi: 10.1111/j.1574-6968.1999.tb13554.x. PMID: 10234826.

128: Beutin L, Strauch E, Fischer I. Isolation of *Shigella sonnei* lysogenic for a bacteriophage encoding gene for production of Shiga toxin. *Lancet*. 1999 May 1;353(9163):1498. doi: 10.1016/S0140-6736(99)00961-7. PMID: 10232325.

129: Beutin L. *Escherichia coli* as a pathogen in dogs and cats. *Vet Res*. 1999 Mar-Jun;30(2-3):285-98. PMID: 10367359.

130: Grif K, Karch H, Schneider C, Daschner FD, Beutin L, Cheasty T, Smith H, Rowe B, Dierich MP, Allerberger F. Comparative study of five different techniques for epidemiological typing of *Escherichia coli* O157. *Diagn Microbiol Infect Dis*. 1998 Nov;32(3):165-76. doi: 10.1016/s0732-8893(98)00103-5. PMID: 9884832.

131: Beutin L, Zimmermann S, Gleier K. Human infections with Shiga toxin-producing *Escherichia coli* other than serogroup O157 in Germany. *Emerg Infect Dis.* 1998 Oct-Dec;4(4):635-9. doi: 10.3201/eid0404.980415. PMID: 9866741; PMCID: PMC2640265.

132: Beutin L, Müller W. Cattle and verotoxigenic *Escherichia coli* (VTEC), an old relationship? *Vet Rec.* 1998 Mar 14;142(11):283-4. doi: 10.1136/vr.142.11.283. PMID: 9569484.

133: Beutin L, Gleier K, Kontny I, Echeverria P, Scheutz F. Origin and characteristics of enteroinvasive strains of *Escherichia coli* (EIEC) isolated in Germany. *Epidemiol Infect.* 1997 Jun;118(3):199-205. doi: 10.1017/s0950268897007413. PMID: 9207729; PMCID: PMC2808807.

134: Beutin L, Geier D, Zimmermann S, Aleksic S, Gillespie HA, Whittam TS. Epidemiological relatedness and clonal types of natural populations of *Escherichia coli* strains producing Shiga toxins in separate populations of cattle and sheep. *Appl Environ Microbiol.* 1997 Jun;63(6):2175-80. PMID: 9172336; PMCID: PMC168509.

135: Beutin L, Zimmermann S, Gleier K. Rapid detection and isolation of shiga-like toxin (verocytotoxin)-producing *Escherichia coli* by direct testing of individual enterohemolytic colonies from washed sheep blood agar plates in the VTEC-RPLA assay. *J Clin Microbiol.* 1996 Nov;34(11):2812-4. PMID: 8897187; PMCID: PMC229408.

136: Beutin L, Knollmann-Schanbacher G, Rietschel W, Seeger H. Animal reservoirs of *Escherichia coli* O157:[H7]. *Vet Rec.* 1996 Jul 20;139(3):70-1. doi: 10.1136/vr.139.3.70. PMID: 8857580.

137: Beutin L, Zimmermann S, Gleier K. *Pseudomonas aeruginosa* can cause false-positive identification of verotoxin (Shiga-like toxin) production by a commercial enzyme immune assay system for the detection of Shiga-like toxins (SLTs). *Infection.* 1996 May-Jun;24(3):267-8. doi: 10.1007/BF01781110. PMID: 8811370.

138: Schmidt H, Beutin L, Karch H. Molecular analysis of the plasmid-encoded hemolysin of *Escherichia coli* O157:H7 strain EDL 933. *Infect Immun.* 1995 Mar;63(3):1055-61. PMID: 7868227; PMCID: PMC173109.

139: Beutin L, Geier D, Zimmermann S, Karch H. Virulence markers of Shiga-like toxin-producing *Escherichia coli* strains originating from healthy domestic animals of different species. *J Clin Microbiol.* 1995 Mar;33(3):631-5. PMID: 7538509; PMCID: PMC228004.

140: Paton AW, Beutin L, Paton JC. Heterogeneity of the amino-acid sequences of *Escherichia coli* Shiga-like toxin type-I operons. *Gene.* 1995 Feb 3;153(1):71-4. doi: 10.1016/0378-1119(94)00777-p. PMID: 7883188.

141: Beutin L, Karch H, Aleksic S, Spencker FB, Rosenbaum U. Occurrence of verotoxin (Shiga-like toxin) producing *Escherichia coli* in human urinary tract infection. *Infection.* 1994 Nov-Dec;22(6):425. doi: 10.1007/BF01715504. PMID: 7698843.

142: Franke J, Franke S, Schmidt H, Schwarzkopf A, Wieler LH, Baljer G, Beutin L, Karch H. Nucleotide sequence analysis of enteropathogenic *Escherichia coli* (EPEC) adherence factor probe and development of PCR for rapid detection of EPEC harboring virulence plasmids. *J Clin Microbiol.* 1994 Oct;32(10):2460-3. PMID: 7814482; PMCID: PMC264083.

- 143: Schmidt H, Karch H, Beutin L. The large-sized plasmids of enterohemorrhagic *Escherichia coli* O157 strains encode hemolysins which are presumably members of the *E. coli* alpha-hemolysin family. *FEMS Microbiol Lett.* 1994 Apr 1;117(2):189-96. doi: 10.1111/j.1574-6968.1994.tb06763.x. PMID: 8181722.
- 144: Beutin L, Aleksic S, Zimmermann S, Gleier K. Virulence factors and phenotypical traits of verotoxigenic strains of *Escherichia coli* isolated from human patients in Germany. *Med Microbiol Immunol.* 1994 Feb;183(1):13-21. doi: 10.1007/BF00193627. PMID: 8202027.
- 145: Beutin L, Stroehler UH, Manning PA. Isolation of enterohemolysin (Ehly2)-associated sequences encoded on temperate phages of *Escherichia coli*. *Gene.* 1993 Sep 30;132(1):95-9. doi: 10.1016/0378-1119(93)90519-9. PMID: 8406047.
- 146: Stroehler UH, Bode L, Beutin L, Manning PA. Characterization and sequence of a 33-kDa enterohemolysin (Ehly 1)-associated protein in *Escherichia coli*. *Gene.* 1993 Sep 30;132(1):89-94. doi: 10.1016/0378-1119(93)90518-8. PMID: 7916718.
- 147: Beutin L, Geier D, Steinrück H, Zimmermann S, Scheutz F. Prevalence and some properties of verotoxin (Shiga-like toxin)-producing *Escherichia coli* in seven different species of healthy domestic animals. *J Clin Microbiol.* 1993 Sep;31(9):2483-8. PMID: 8408571; PMCID: PMC265781.
- 148: Wullenweber M, Beutin L, Zimmermann S, Jonas C. Influence of some bacterial and host factors on colonization and invasiveness of *Escherichia coli* K1 in neonatal rats. *Infect Immun.* 1993 May;61(5):2138-44. PMID: 8478103; PMCID: PMC280814.
- 149: Prada J, Zimmermann S, Stephan R, Beutin L. Restriction fragment length polymorphisms associated with alpha-hemolysin determinants are correlating with the expression of alpha-hemolysin in strains of *Escherichia coli*. *Zentralbl Bakteriol.* 1992 Jan;276(2):152-64. doi: 10.1016/s0934-8840(11)80002-2. PMID: 1348436.
- 150: Prada J, Baljer G, De Rycke J, Steinrück H, Zimmermann S, Stephan R, Beutin L. Characteristics of alpha-hemolytic strains of *Escherichia coli* isolated from dogs with gastroenteritis. *Vet Microbiol.* 1991 Sep;29(1):59-73. doi: 10.1016/0378-1135(91)90110-2. PMID: 1949555.
- 151: Prada J, Beutin L. Detection of *Escherichia coli* alpha-haemolysin genes and their expression in a human faecal strain of *Enterobacter cloacae*. *FEMS Microbiol Lett.* 1991 Mar 15;63(1):111-4. doi: 10.1016/0378-1097(91)90537-k. PMID: 2044935.
- 152: Beutin L. The different hemolysins of *Escherichia coli*. *Med Microbiol Immunol.* 1991;180(4):167-82. doi: 10.1007/BF00215246. PMID: 1784268.
- 153: Beutin L, Orskov I, Orskov F, Zimmermann S, Prada J, Gelderblom H, Stephan R, Whittam TS. Clonal diversity and virulence factors in strains of *Escherichia coli* of the classic enteropathogenic serogroup O114. *J Infect Dis.* 1990 Dec;162(6):1329-34. doi: 10.1093/infdis/162.6.1329. PMID: 1977809.
- 154: Beutin L, Bode L, Ozel M, Stephan R. Enterohemolysin production is associated with a temperate bacteriophage in *Escherichia coli* serogroup O26 strains. *J Bacteriol.* 1990 Nov;172(11):6469-75. doi: 10.1128/jb.172.11.6469-6475.1990. PMID: 2228970; PMCID: PMC526835.
- 155: Beutin L, Montenegro MA. Enterohaemolysin and shiga-like toxin genes in *E. coli*. *Vet Rec.* 1990 Sep 22;127(12):316. PMID: 2238417.
- 156: Beutin L, Montenegro MA, Orskov I, Orskov F, Prada J, Zimmermann S, Stephan

- R. Close association of verotoxin (Shiga-like toxin) production with enterohemolysin production in strains of *Escherichia coli*. *J Clin Microbiol*. 1989 Nov;27(11):2559-64. PMID: 2681256; PMCID: PMC267076.
- 157: Beutin L, Prada J, Zimmermann S, Stephan R, Orskov I, Orskov F. Enterohemolysin, a new type of hemolysin produced by some strains of enteropathogenic *E. coli* (EPEC). *Zentralbl Bakteriol Mikrobiol Hyg A*. 1988 Mar;267(4):576-88. doi: 10.1016/s0176-6724(88)80042-7. PMID: 3289285.
- 158: Beutin L, Montenegro M, Zimmermann S, Stephan R. Characterization of hemolytic strains of *Escherichia coli* belonging to classical enteropathogenic O-serogroups. *Zentralbl Bakteriol Mikrobiol Hyg A*. 1986 May;261(3):266-79. doi: 10.1016/s0176-6724(86)80044-x. PMID: 3526763.
- 159: Beutin L, Bode L, Richter T, Peltre G, Stephan R. Rapid visual detection of *Escherichia coli* and *Vibrio cholerae* Heat-labile enterotoxins by nitrocellulose enzyme-linked immunosorbent assay. *J Clin Microbiol*. 1984 Mar;19(3):371-5. PMID: 6371043; PMCID: PMC271067.
- 160: Bode L, Beutin L, Köhler H. Nitrocellulose-enzyme-linked immunosorbent assay (NC-ELISA) - a sensitive technique for the rapid visual detection of both viral antigens and antibodies. *J Virol Methods*. 1984 Feb;8(1-2):111-21. doi: 10.1016/0166-0934(84)90045-4. PMID: 6323504.
- 161: Beutin L, Eisen H. Regulation of enzymes involved in ornithine/arginine metabolism in the parasitic trypanosomatid *Herpetomonas samuelpessoai*. *Mol Gen Genet*. 1983;190(2):278-83. doi: 10.1007/BF00330651. PMID: 6576220.
- 162: Beutin L, Preller E, Kowalski B. Mutagenicity of quindoxin, its metabolites, and two substituted quinoxaline-di-N-oxides. *Antimicrob Agents Chemother*. 1981 Sep;20(3):336-43. doi: 10.1128/aac.20.3.336. PMID: 7030199; PMCID: PMC181697.
- 163: Beutin L, Manning PA, Achtman M, Willetts N. *sfrA* and *sfrB* products of *Escherichia coli* K-12 are transcriptional control factors. *J Bacteriol*. 1981 Feb;145(2):840-4. PMID: 7007352; PMCID: PMC217187.
- 164: Manning PA, Beutin L, Achtman M. Outer membrane of *Escherichia coli*: properties of the F sex factor *traT* protein which is involved in surface exclusion. *J Bacteriol*. 1980 Apr;142(1):285-94. PMID: 6989806; PMCID: PMC293949.
- 165: Beutin L, Achtman M. Two *Escherichia coli* chromosomal cistrons, *sfrA* and *sfrB*, which are needed for expression of F factor *tra* functions. *J Bacteriol*. 1979 Sep;139(3):730-7. PMID: 383690; PMCID: PMC218016.
- 166: Achtman M, Skurray RA, Thompson R, Helmuth R, Hall S, Beutin L, Clark AJ. Assignment of *tra* cistrons to *EcoRI* fragments of F sex factor DNA. *J Bacteriol*. 1978 Mar;133(3):1383-92. PMID: 346570; PMCID: PMC222176.
- 167: Kennedy N, Beutin L, Achtman M, Skurray R, Rahmsdorf U, Herrlich P. Conjugation proteins encoded by the F sex factor. *Nature*. 1977 Dec 15;270(5638):580-5. doi: 10.1038/270580a0. PMID: 339109.